Indiana College Substance Use Survey

2019

Indiana University-Purdue University Indianapolis





Results of the Indiana College Substance Use Survey 2019

Indiana University-Purdue University Indianapolis

Institute for Research on Addictive Behavior 501 N. Morton St., Suite 110 Bloomington, IN 47404 www.iprc.iu.edu

Funded by the Indiana Family and Social Services Administration,
Division of Mental Health and Addiction

TABLE OF CONTENTS

Table of Contents	
List of Tables	i
List of Figures	ii
Introduction	
Substance Use	2
Prevalence	2
Location and Type of Alcohol Use	6
Reasons for Alcohol Use	
Age of First Time Use	8
Consequences of Alcohol Use	g
Risk Factors	
Alcohol Availability	11
Perception of Peer Behaviors and Beliefs	13
Mental Health	16
Gambling Behavior	18
Characteristics of Survey Participants	22
Frequencies	

LIST OF TABLES

Table 1. Response Rate, 2019
Table 2. Number of Usable Questionnaires, 2019
Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2019
Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2019
Table 5. Percentage of Students Reporting Use of Select Substances in the Past Month, 2010, 2013, 2016, 2019
Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2019
Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2019 (Range = 0-15)
Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2019
Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2019
Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2019
Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2019
Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 201910
Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Select Demographic Characteristics, 2019
Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 201913
Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Select Demographic Characteristics, 2019 (range = 0 – 30)
Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 201919
Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 201919
Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2019 (range = $0 - 30$)
Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2019
Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2019
Table 21. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, by Select Demographic Characteristics, 2019
Table 22. Demographic Characteristics of Survey Participants, 2019

LIST OF FIGURES

igure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2019
Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2019
igure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2019
igure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 20191
igure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, 2019
igure 6. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Gender, 2019 (range = 0 – 30)
igure 7. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Gender, 20191
igure 8. Percentage of Students Who Reported Any Gambling Behaviors or Gambling Consequences in the Past Year, by Select Demographic Characteristics, 20191
Figure 9. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2019
rigure 10. Percentage of Students Who Gambled in the Past Year, Who Reported Select Reasons as Their Most Common Reason for Gambling, by Gender, 20192

INTRODUCTION

The Indiana College Substance Use Survey was administered in Spring 2019. A total of 2,500 Indiana University-Purdue University Indianapolis students were sent an e-mail inviting them to participate in the survey. Students were given a two-week period to complete the online questionnaire. A reminder e-mail was sent midway through the survey period. 351 students responded to the survey, for a response rate of 14.0%. A description of the history and methodology of the Indiana College Substance Use Survey can be found in the *Results of the Indiana College Substance Use Survey*, 2019 at http://drugs.indiana.edu/indiana-college-survey/substance-use-survey.

Table 1. Response Rate, 2019

Number of students invited to participate	Number of respondents	Response Rate
2,500	351	14.0%

Three criteria were used to clean the data. Surveys were discarded if any of the following conditions were met:

- insufficient response (less than 26 items answered out of a total of 148 items),
- three or more inconsistent responses among substance use items, and
- pharmacologically-implausible patterns of responses (i.e., a combination of drugs and frequencies of use whose cumulative effect would be lethal).

Table 2. Number of Usable Questionnaires, 2019

	Frequency	Percent
Too few items answered	13	3.7
Inconsistent responses	1	0.3
Implausible drug use	1	0.3
Total Number of Usable Surveys	336	95.7
Total	351	100.0

SUBSTANCE USE

PREVALENCE

Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2019

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Alcohol	64.3	60.6	69.6	62.2	44.6	74.2
Marijuana	21.3	19.7	30.4	17.0	27.7	18.0
Cigarettes	8.6	10.4	13.4	6.4	5.3	10.3
Electronic vaping devices	18.7	23.9	28.4	14.2	28.3	13.8
Cigars	3.9	5.3	8.1	1.8	3.6	4.0
Smoking tobacco with hookah/water pipe	4.8	4.5	6.3	4.1	4.4	4.9
Chewing/smokeless tobacco	1.5	3.1	4.5	0.0	0.9	1.8
Prescription stimulants not prescribed to you	4.5	3.5	3.6	5.0	3.5	4.9
Prescription painkillers not prescribed to you	0.9	1.2	1.8	0.5	0.9	0.9
Prescription sedatives not prescribed to you	1.2	1.3	0.9	1.4	0.9	1.4
Hallucinogens	3.0	2.6	2.7	3.2	1.8	3.6
Cocaine	1.5	1.6	1.8	1.4	1.8	1.4
Inhalants	0.6	0.6	0.9	0.5	0.9	0.5
Heroin	0.0	0.1	0.0	0.0	0.0	0.0
Methamphetamine	0.0	0.2	0.0	0.0	0.0	0.0
Other illegal drugs	0.9	0.5	2.7	0.0	0.0	1.4

Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2019

Substance	All St	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Nicotine	74.6	72.4	78.2	73.2	81.1	70.6	
Flavoring Only	54.8	50.8	54.5	54.4	62.3	50.0	
THC	59.6	46.6	66.7	55.6	59.6	59.5	
Alcohol	2.3	3.2	1.9	2.6	4.0	1.2	
Other	0.0	5.7	0.0	0.0	0.0	0.0	

Note. Out of students who reported ever using electronic vapor products (n = **139**).

Table 5. Percentage of Students Reporting Use of Select Substances in the Past Month, 2010, 2013, 2016, 2019

Substance	2010	2013	2016	2019
Alcohol	71.6	65.5	59.3	64.3
Marijuana	9.5	11.9	22.7	21.3
Cigarettes	17.2	11.5	11.8	8.6
Cigars	8.2	6.1	7.7	3.9
Smoking tobacco with hookah or water pipe	9.5	7.4	11.8	4.8
Chewing or smokeless tobacco	2.2	1.6	3.8	1.5
Electronic vaping devices	-	-	12.1	18.7
Rx Stimulants	-	-	6.5	4.5
Rx Painkillers	-	-	2.5	0.9
Rx Sedatives	-	-	1.6	1.2
Hallucinogens	0.9	0.7	3.2	3.0
Cocaine	0.6	0.5	1.1	1.5
Inhalants	0.0	0.5	0.7	0.6
Heroin	0.6	0.0	0.0	0.0
Methamphetamines	0.0	0.0	0.0	0.0
Other illegal drugs	0.6	0.2	0.5	0.9

^{*}E-cigarettes and Rx categories added in 2016

Binge drinking was defined in the Indiana College Substance Use Survey as four or more drinks in a row for females and five or more drinks in a row for males. This gender-specific standard follows the definition established by the National Institute on Alcohol Abuse and Alcoholism.

Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2019

All Students		ts Gender		Ag	е
IUPUI	Indiana	Male	Female	Under 21	21 or older
28.4	31.9	30.5	27.9	24.1	30.6

Note. Binge drinking was defined as consuming 4 or more drinks in a row for females and 5 or more drinks in a row for males.

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2019





Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2019 (Range = 0-15)

	All St	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Mean	3.0	3.5	3.5	2.8	3.9	2.7	
Standard Deviation	2.2	2.6	2.8	1.9	2.9	1.8	

Note. Out of students who reported ever drinking alcohol (n = **279**).

Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2019



Note. Out of students who reported ever drinking alcohol (n = **279**).




Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2019

Note. Out of students who reported ever drinking alcohol (n = **279**). Responses of drinking alcohol at select location "sometimes, "often", or "always" are included.

Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2019

Typo	All St	All Students		Gender		Age	
Туре	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Liquor	58.1	61.1	62.0	56.3	64.5	55.7	
Beer	46.0	44.7	61.3	37.9	35.9	50.0	
Wine	52.2	46.5	31.5	62.9	36.4	58.5	
Malt beverages?	29.5	37.5	21.3	33.3	44.9	23.2	
High alcohol drinks	5.9	10.9	5.6	6.2	9.0	4.7	
Other	6.2	9.7	5.8	6.5	4.1	7.1	

Note. Out of students who reported ever drinking alcohol (n = **279**). Responses of drinking select type of alcohol "sometimes, "often", or "always" are included.

REASONS FOR ALCOHOL USE

Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2019

	All St	All Students		Gender		Age	
Reason	IUPUI	Indiana	Male	Female	Under 21	21 or older	
To have a good time with friends	86.5	84.7	86.0	87.2	84.6	87.2	
To relax	62.0	55.5	66.3	59.9	42.9	69.6	
To experiment	19.7	27.2	24.7	17.3	35.9	13.3	
Because of boredom	15.3	18.5	18.3	14.0	16.7	14.8	
To get away from my problems	12.8	14.3	13.0	12.8	12.8	12.8	
Because of anger/frustration	11.3	11.1	11.8	11.2	7.7	12.8	
To get through the day	2.6	4.5	3.3	2.2	1.3	3.1	
Because I'm hooked	1.1	2.2	2.2	0.6	0.0	1.5	

Note: Out of students who reported ever drinking alcohol (n = **279**).

AGE OF FIRST TIME USE

Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2019

	All Stu	udents
	IUPUI	Indiana
Alcohol	35.4	34.9
Marijuana	31.6	36.3
Cigarettes	36.0	36.8
E-cigarettes	54.0	48.9
Cigars	33.7	36.5
Hookah	42.0	41.0
Smokeless tobacco	26.5	26.5
Prescription stimulants	50.0	56.8
Prescription painkillers	25.8	33.3
Prescription sedatives	48.1	47.4
Hallucinogens	65.1	59.9
Cocaine	60.0	62.8
Inhalants	55.6	44.7
Heroin		28.6
Methamphetamines		35.2
Other	50.0	43.3

Note. Out of students who reported ever having used that substance. Only substances where ten or more students indicated use are included in the school rates.

CONSEQUENCES OF ALCOHOL USE

Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2019

0	All St	udents	Ge	nder	Age	
Consequences -	IUPUI	Indiana	Male	Female	Under 21	21 or older
Had a hangover	55.5	54.1	59.8	53.3	59.7	53.8
Forgot where you were or what you did (blacked out)	18.7	24.2	22.8	16.8	24.4	16.4
Felt bad or guilty about your drinking	24.0	24.1	23.1	24.2	23.4	24.2
Did something you later regretted	20.4	22.8	28.0	16.8	22.1	19.8
Engaged in unprotected sexual intercourse (i.e., without a condom)	17.2	15.2	12.9	19.6	15.4	17.9
Missed class or an assignment	7.7	11.4	10.8	6.2	5.2	8.7
Driven a car while under the influence	10.5	8.1	10.8	10.6	5.1	12.7
Been hurt or injured because of drinking	8.7	9.0	9.7	8.3	9.0	8.6
Created problems between you and your friends or family members	8.4	9.3	10.8	7.2	9.0	8.1
Had friends or family members worry or complain about your drinking	9.1	9.6	8.6	9.4	7.7	9.6
Been in trouble with police, residence hall, or other college authorities	1.8	3.4	3.2	1.1	2.6	1.5
Gotten into physical fights when drinking	4.0	3.6	5.4	3.3	5.1	3.6
Gotten into trouble at work or college because of drinking	1.8	2.7	2.2	1.7	2.6	1.5
Been ticketed	0.4	1.1	1.1	0.0	0.0	0.5
Been arrested for drunk driving	0.4	0.5	0.0	0.6	0.0	0.5

Note. Out of students who reported ever drinking alcohol (n = **279**).

Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2019

	All Students		Ge	nder	А	Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Experienced unwanted sexual activity	2.6	3.9	1.1	3.4	5.1	1.5	
Took advantage of someone sexually	0.0	0.6	0.0	0.0	0.0	0.0	

Note. Out of students who reported ever drinking alcohol (n = 279).


Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Select Demographic Characteristics, 2019

Consequence	All Stud	dents	Gen	der	A	ge
Consequence -	IUPUI	Indiana	Male	Female	Under 21	21 or older
Had to take care of another student who drank too much	34.1	46.3	39.6	31.9	41.7	30.2
Had your studying or sleep interrupted	18.6	31.9	17.9	18.8	25.0	15.3
Had to act as a designated driver for another student because he or she drank	27.6	30.8	31.1	25.8	36.1	23.3
Found vomit in the halls or other areas of your residence	9.3	21.3	11.3	8.5	13.0	7.4
Had your belongings or property damaged	8.4	10.8	9.4	7.5	11.1	7.0

RISK FACTORS


ALCOHOL AVAILABILITY

Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2019



Note. Out of students under 21 who reported ever drinking alcohol (n = **79**). Responses of obtaining alcohol from select source "sometimes, "often", or "always" are included.

Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, 2019



Note. Out of students under 21 who reported ever drinking alcohol (n = 79).

PERCEPTION OF PEER BEHAVIORS AND BELIEFS

Students were asked to estimate the percentage of students at their school who drank alcohol in the past month.

Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2019

Perceived percent who use	All Stu	All Students		der	Age	
alcohol	IUPUI	Indiana	Male	Female	Under 21	21 or older
0%	1.6	1.6	0.9	1.9	1.9	1.4
5% - 25%	13.0	12.4	8.5	15.1	21.3	8.9
30% - 50%	28.0	28.9	31.1	26.4	36.1	23.8
55% - 75%	39.8	39.6	39.6	39.6	28.7	45.3
80% - 100%	17.7	17.5	19.8	17.0	12.0	20.6

Note: Response options were increments of 5%.

Students were also asked how many alcoholic drinks they thought the typical student at their school consumed the last time he or she partied/socialized. Students could provide any figure between 0-30.

Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Select Demographic Characteristics, 2019 (range = 0-30)

	All St	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Mean	4.1	4.3	4.5	3.9	4.0	4.1	
Standard Deviation	2.3	2.3	2.5	2.2	2.1	2.4	

Figure 6. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She "Partied/Socialized", by Gender, 2019 (range = 0-30)




Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2019

	All St	All Students		Gender		ge
Substance	IUPUI	Indiana	Male	Female	Under	21 or
	101 01	maiana	IVIGIC	remaie	21	older
Having five or more alcoholic drinks in one sitting	41.0	43.2	27.4	47.2	47.2	38.0
Using marijuana	38.7	46.2	33.0	41.8	39.3	38.4
Using prescription medication not prescribed to you	80.9	83.9	75.5	83.2	82.4	80.1

Note: Responses of "Strongly Disapprove" or "Somewhat Disapprove" are included.

Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2019

Location	All Stu	dents	Gender		
Location	IUPUI	Indiana	Male	Female	
On-campus housing	59.3	41.6	56.7	60.5	
Off-campus housing	29.9	22.9	20.0	34.7	
On-campus party	67.6	45.1	63.3	69.7	
Off-campus party	38.0	29.1	23.3	44.7	
Athletic event	58.3	48.6	53.3	60.5	
Other places in the community	51.9	43.5	40.0	56.6	

Note: n = 113. Responses of "Very Likely" or "Somewhat Likely" are included.

MENTAL HEALTH


The Indiana College Substance Use Survey asked three questions to assess students' mental health status. Students were asked on how many days in the past month their mental health was not good, including experiencing stress, depression, or problems with emotions. They were also asked if, in the past year, they had experienced feeling so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, and if they had ever seriously considered attempting suicide.

Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2019 (range = 0-30)

	All Students		Ge	Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Mean	7.5	7.8	7.0	7.7	9.2	6.7	
Standard Deviation	8.3	8.6	8.9	8.1	9.5	7.6	

Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Figure 7. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Gender, 2019



Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2019

	All St	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Felt sad or hopeless	26.0	29.9	26.7	25.2	36.8	20.7	
Considered attempting suicide	10.1	11.3	12.3	9.1	14.0	8.1	


Note: Sadness survey question: "During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?"


GAMBLING BEHAVIOR


Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2019


Cambling Robovies	All Stu	udents	Ge	nder	Α	ge
Gambling Behavior	IUPUI	Indiana	Male	Female	Under 21	21 or older
Lottery	24.4	22.7	34.9	19.0	27.1	23.0
Charitable gambling	10.6	10.2	13.2	8.6	8.4	11.7
Pools	7.5	8.6	14.2	4.3	4.7	8.9
Card games (not at casino)	6.9	7.4	15.1	2.9	9.4	5.6
Casino	10.0	8.2	12.3	9.0	0.9	14.6
Video game loot boxes	6.9	6.6	17.0	1.9	6.5	7.1
Fantasy sports	5.3	6.0	15.1	0.5	3.7	6.1
Other sports betting	4.4	4.2	10.5	1.4	3.8	4.7
Horse tracks	3.8	3.0	5.7	2.9	2.8	4.2
Online	2.5	2.7	5.7	1.0	1.9	2.8
Competitive video gaming	1.9	1.9	5.8	0.0	3.7	0.9
Other	4.6	2.2	7.0	3.5	2.9	5.4


Figure 8. Percentage of Students Who Reported Any Gambling Behaviors or Gambling Consequences in the Past Year, by Select Demographic Characteristics, 2019











Note: n = **129**.

Table 21. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, by Select Demographic Characteristics, 2019

Concoguence	All Stu	All Students		Gender		Age	
Consequence	IUPUI	Indiana	Male	Female	Under 21	21 or older	
Felt bad about gambling	8.6	4.9	12.3	5.8	2.4	11.5	
Money issues	3.1	4.0	5.3	1.4	0.0	4.6	
Not sleeping	1.6	2.0	3.5	0.0	0.0	2.3	
Depression	1.6	1.6	3.5	0.0	0.0	2.3	
Family/parent issues	1.6	1.3	3.5	0.0	2.4	1.1	
School problems	0.8	1.1	1.8	0.0	0.0	1.1	
Loss of friendships	0.8	0.8	1.8	0.0	0.0	1.1	
Poor hygiene	0.8	0.7	1.8	0.0	0.0	1.1	

Note: n = **129**.

CHARACTERISTICS OF SURVEY PARTICIPANTS

Table 22. Demographic Characteristics of Survey Participants, 2019

	Frequency	%
Gender		
Male	112	33.3
Female	220	65.5
Transgender	4	1.2
Age		
Under 21	113	33.6
21 or older	223	66.4
Race		
White	251	74.7
Black/African American	20	6.0
Asian	28	8.3
Native American/Alaskan	1	0.3
Native		
Hawaiian/Pacific Islander	1	0.3
More than one race	11	3.3
Other	22	6.5
No answer	2	0.6
Ethnicity	22	0.5
Hispanic	32	9.5
Non-Hispanic	303	90.2
No answer	1	0.3
Classification	F2	455
1st year undergraduate	52	15.5
2nd year undergraduate	49	14.6
3rd year undergraduate	50	14.9
4th year undergraduate	47	14.0
5th year or more undergraduate	23	6.8
Grad/professional	110	32.7
Not seeking degree	2	0.6
Other	1	0.3
No answer	2	0.6

Table 22 continued.

Student status		
Full-time	299	89.0
Part-time	37	11.0
No answer	0	0.0
Location of residence		
Fraternity/sorority house	0	0.0
Campus residence hall	20	6.0
Other on-campus housing	19	5.7
Off-campus	297	88.4
No answer	0	0.0
Greek affiliation		
Yes	24	7.1
No	312	92.9
No answer	0	0.0

FREQUENCIES

Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	22	6.5	6.5	6.5
	19	39	11.6	11.6	18.2
	20	52	15.5	15.5	33.6
	21	44	13.1	13.1	46.7
	22	25	7.4	7.4	54.2
	23	28	8.3	8.3	62.5
	24	26	7.7	7.7	70.2
	25	20	6.0	6.0	76.2
	26 or older	80	23.8	23.8	100.0
	Total	336	100.0	100.0	

Ethnicity

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Hispanic	32	9.5	9.6	9.6
	Non-Hispanic	303	90.2	90.4	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Race

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White	251	74.7	75.1	75.1
	Black/African-American	20	6.0	6.0	81.1
	Asian	28	8.3	8.4	89.5
	Native American/Alaskan Native	1	.3	.3	89.8
	Hawaiian/Pacific Islander	1	.3	.3	90.1
	More than one race	11	3.3	3.3	93.4
	Other	22	6.5	6.6	100.0
	Total	334	99.4	100.0	
Missing	System	2	.6		
Total		336	100.0		

Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	112	33.3	33.3	33.3
	Female	220	65.5	65.5	98.8
	Transgender	4	1.2	1.2	100.0
	Total	336	100.0	100.0	

Sexual orientation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Heterosexual or straight	274	81.5	81.8	81.8
	Homosexual, gay, lesbian, queer	11	3.3	3.3	85.1
	Bisexual	32	9.5	9.6	94.6
	Other	9	2.7	2.7	97.3
	Don't Know/Not Sure/Questioning	9	2.7	2.7	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Student status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time	299	89.0	89.0	89.0
	Part-time	37	11.0	11.0	100.0
	Total	336	100.0	100.0	

Year in school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1st year undergraduate	52	15.5	15.6	15.6
	2nd year undergraduate	49	14.6	14.7	30.2
	3rd year undergraduate	50	14.9	15.0	45.2
	4th year undergraduate	47	14.0	14.1	59.3
	5th year or more undergraduate	23	6.8	6.9	66.2
	Graduate or professional student	110	32.7	32.9	99.1
	Not seeking a degree	2	.6	.6	99.7
	Other	1	.3	.3	100.0
	Total	334	99.4	100.0	
Missing	System	2	.6		
Total		336	100.0		

Location of residence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Campus residence hall	20	6.0	6.0	6.0
	Other on-campus housing	19	5.7	5.7	11.6
	Off campus	297	88.4	88.4	100.0
	Total	336	100.0	100.0	

Member of fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	24	7.1	7.1	7.1
	No	312	92.9	92.9	100.0
	Total	336	100.0	100.0	

Served on active duty

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Yes	11	3.3	3.3	3.3
	No	325	96.7	96.7	100.0
	Total	336	100.0	100.0	

Number of times in the past month substance was used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	221	65.8	65.8	65.8
	Have used but not in past 30 days	86	25.6	25.6	91.4
	1-2 occasions	11	3.3	3.3	94.6
	3-5 occasions	4	1.2	1.2	95.8
	10-19 occasions	1	.3	.3	96.1
	20-39 occasions	3	.9	.9	97.0
	40 or more occasions	10	3.0	3.0	100.0
	Total	336	100.0	100.0	

Number of times in the past month substance was used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	248	73.8	74.0	74.0
	Have used but not in past 30 days	74	22.0	22.1	96.1
	1-2 occasions	7	2.1	2.1	98.2
	3-5 occasions	5	1.5	1.5	99.7
	6-9 occasions	1	.3	.3	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Number of times in the past month substance was used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	298	88.7	89.2	89.2
	Have used but not in past 30 days	31	9.2	9.3	98.5
	1-2 occasions	1	.3	.3	98.8
	3-5 occasions	2	.6	.6	99.4
	6-9 occasions	1	.3	.3	99.7
	40 or more occasions	1	.3	.3	100.0
	Total	334	99.4	100.0	
Missing	System	2	.6		
Total		336	100.0		

Number of times in the past month substance was used: Smoking tobacco with hookah/water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	233	69.3	69.3	69.3
	Have used but not in past 30 days	87	25.9	25.9	95.2
	1-2 occasions	6	1.8	1.8	97.0
	3-5 occasions	8	2.4	2.4	99.4
	6-9 occasions	2	.6	.6	100.0
	Total	336	100.0	100.0	

Number of times in the past month substance was used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	192	57.1	58.0	58.0
	Have used but not in past 30 days	77	22.9	23.3	81.3
	1-2 occasions	18	5.4	5.4	86.7
	3-5 occasions	9	2.7	2.7	89.4
	6-9 occasions	4	1.2	1.2	90.6
	10-19 occasions	6	1.8	1.8	92.4
	20-39 occasions	8	2.4	2.4	94.9
	40 or more occasions	17	5.1	5.1	100.0
	Total	331	98.5	100.0	
Missing	System	5	1.5		
Total		336	100.0		

Number of times in the past month substance was used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	54	16.1	16.2	16.2
	Have used but not in past 30 days	65	19.3	19.5	35.7
	1-2 occasions	70	20.8	21.0	56.8
	3-5 occasions	58	17.3	17.4	74.2
	6-9 occasions	38	11.3	11.4	85.6
	10-19 occasions	24	7.1	7.2	92.8
	20-39 occasions	9	2.7	2.7	95.5
	40 or more occasions	15	4.5	4.5	100.0
	Total	333	99.1	100.0	
Missing	System	3	.9		
Total		336	100.0		

Number of times in the past month substance was used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	175	52.1	52.4	52.4
	Have used but not in past 30 days	88	26.2	26.3	78.7
	1-2 occasions	25	7.4	7.5	86.2
	3-5 occasions	5	1.5	1.5	87.7
	6-9 occasions	7	2.1	2.1	89.8
	10-19 occasions	11	3.3	3.3	93.1
	20-39 occasions	7	2.1	2.1	95.2
	40 or more occasions	16	4.8	4.8	100.0
	Total	334	99.4	100.0	
Missing	System	2	.6		
Total		336	100.0		

Number of times in the past month substance was used: Cocaine/Crack

			Danaant	Valid Dansont	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never used in lifetime	310	92.3	92.5	92.5
	Have used but not in past 30 days	20	6.0	6.0	98.5
	1-2 occasions	2	.6	.6	99.1
	3-5 occasions	2	.6	.6	99.7
	10-19 occasions	1	.3	.3	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Number of times in the past month substance was used: Hallucinogens/Ecstasy

		F	D	Valid Dansant	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never used in lifetime	289	86.0	86.5	86.5
	Have used but not in past 30 days	35	10.4	10.5	97.0
	1-2 occasions	7	2.1	2.1	99.1
	3-5 occasions	1	.3	.3	99.4
	6-9 occasions	1	.3	.3	99.7
	10-19 occasions	1	.3	.3	100.0
	Total	334	99.4	100.0	
Missing	System	2	.6		
Total		336	100.0		

Number of times in the past month substance was used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	332	98.8	99.1	99.1
	Have used but not in past 30 days	3	.9	.9	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Number of times in the past month substance was used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	329	97.9	98.2	98.2
	Have used but not in past 30 days	6	1.8	1.8	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Number of times in the past month substance was used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Malia	Navanua al in lifationa	<u> </u>			
Valid	Never used in lifetime	314	93.5	94.3	94.3
	Have used but not in past 30 days	17	5.1	5.1	99.4
	1-2 occasions	1	.3	.3	99.7
	3-5 occasions	1	.3	.3	100.0
	Total	333	99.1	100.0	
Missing	System	3	.9		
Total		336	100.0		

Number of times in the past month substance was used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	285	84.8	84.8	84.8
	Have used but not in past 30 days	36	10.7	10.7	95.5
	1-2 occasions	6	1.8	1.8	97.3
	3-5 occasions	3	.9	.9	98.2
	10-19 occasions	1	.3	.3	98.5
	20-39 occasions	3	.9	.9	99.4
	40 or more occasions	2	.6	.6	100.0
	Total	336	100.0	100.0	

Number of times in the past month substance was used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	301	89.6	89.9	89.9
	Have used but not in past 30 days	31	9.2	9.3	99.1
	1-2 occasions	2	.6	.6	99.7
	3-5 occasions	1	.3	.3	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Number of times in the past month substance was used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	306	91.1	91.3	91.3
	Have used but not in past 30 days	25	7.4	7.5	98.8
	1-2 occasions	3	.9	.9	99.7
	10-19 occasions	1	.3	.3	100.0
	Total	335	99.7	100.0	
Missing	System	1	.3		
Total		336	100.0		

Number of times in the past month substance was used: Other illegal drugs

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never used in lifetime	316	94.0	94.6	94.6
	Have used but not in past 30 days	15	4.5	4.5	99.1
	1-2 occasions	2	.6	.6	99.7
	3-5 occasions	1	.3	.3	100.0
	Total	334	99.4	100.0	
Missing	System	2	.6		
Total		336	100.0		

Used electronic vapor product for nicotine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	103	30.7	74.6	74.6
	No	35	10.4	25.4	100.0
	Total	138	41.1	100.0	
Missing	System	198	58.9		
Total		336	100.0		

Used electronic vapor product for THC

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	81	24.1	59.6	59.6
	No	55	16.4	40.4	100.0
	Total	136	40.5	100.0	
Missing	System	200	59.5		
Total		336	100.0		

Used electronic vapor product for alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	.9	2.3	2.3
valid	163	3	.5	2.0	2.0
	No	128	38.1	97.7	100.0
	Total	131	39.0	100.0	
Missing	System	205	61.0		
Total		336	100.0		

Used electronic vapor product for flavoring only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	74	22.0	54.8	54.8
	No	61	18.2	45.2	100.0
	Total	135	40.2	100.0	
Missing	System	201	59.8		
Total		336	100.0		

Used electronic vapor product for other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	114	33.9	100.0	100.0
Missing	System	222	66.1		
Total		336	100.0		

Age when first used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	73	21.7	64.0	64.0
	After starting college	41	12.2	36.0	100.0
	Total	114	33.9	100.0	
Missing	System	222	66.1		
Total		336	100.0		

Age when first used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	55	16.4	66.3	66.3
	After starting college	28	8.3	33.7	100.0
	Total	83	24.7	100.0	
Missing	System	253	75.3		
Total		336	100.0		

Age when first used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	25	7.4	73.5	73.5
	After starting college	9	2.7	26.5	100.0
	Total	34	10.1	100.0	
Missing	System	302	89.9		
Total		336	100.0		

Age when first used: Smoking tobacco with hookah or water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	B (, , , , , , , , , , , , , , , , , ,				
Valid	Before starting college	58	17.3	58.0	58.0
	After starting college	42	12.5	42.0	100.0
	Total	100	29.8	100.0	
Missing	System	236	70.2		
Total		336	100.0		

Age when first used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	63	18.8	46.0	46.0
	After starting college	74	22.0	54.0	100.0
	Total	137	40.8	100.0	
Missing	System	199	59.2		
Total		336	100.0		

Age when first used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	181	53.9	64.6	64.6
	After starting college	99	29.5	35.4	100.0
	Total	280	83.3	100.0	
Missing	System	56	16.7		
Total		336	100.0		

Age when first used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	108	32.1	68.4	68.4
	After starting college	50	14.9	31.6	100.0
	Total	158	47.0	100.0	
Missing	System	178	53.0		
Total		336	100.0		

Age when first used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	10	3.0	40.0	40.0
	After starting college	15	4.5	60.0	100.0
	Total	25	7.4	100.0	
Missing	System	311	92.6		
Total		336	100.0		

Age when first used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	15	4.5	34.9	34.9
	After starting college	28	8.3	65.1	100.0
	Total	43	12.8	100.0	
Missing	System	293	87.2		
Total		336	100.0		

Age when first used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1	.3	100.0	100.0
Missing	System	335	99.7		
Total		336	100.0		

Age when first used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	2	.6	40.0	40.0
	After starting college	3	.9	60.0	100.0
	Total	5	1.5	100.0	
Missing	System	331	98.5		
Total		336	100.0		

Age when first used: Inhalants

,		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	8	2.4	44.4	44.4
	After starting college	10	3.0	55.6	100.0
	Total	18	5.4	100.0	
Missing	System	318	94.6		
Total		336	100.0		

Age when first used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	25	7.4	50.0	50.0
	After starting college	25	7.4	50.0	100.0
	Total	50	14.9	100.0	
Missing	System	286	85.1		
Total		336	100.0		

Age when first used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	23	6.8	74.2	74.2
	After starting college	8	2.4	25.8	100.0
	Total	31	9.2	100.0	
Missing	System	305	90.8		
Total		336	100.0		

Age when first used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	14	4.2	51.9	51.9
	After starting college	13	3.9	48.1	100.0
	Total	27	8.0	100.0	
Missing	System	309	92.0		
Total		336	100.0		

Age when first used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	8	2.4	50.0	50.0
	After starting college	8	2.4	50.0	100.0
	Total	16	4.8	100.0	
Missing	System	320	95.2		
Total		336	100.0		

Number of times student binge drank during the last two weeks - out of students who drank alcohol in past month

			Danasant	Valid Darsont	Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	0	116	34.5	55.5	55.5
	1	50	14.9	23.9	79.4
	2	19	5.7	9.1	88.5
	3	16	4.8	7.7	96.2
	4	6	1.8	2.9	99.0
	6	1	.3	.5	99.5
	10 or more times	1	.3	.5	100.0
	Total	209	62.2	100.0	
Missing	System	127	37.8		
Total		336	100.0		

How many drinks do you typically have?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	70	20.8	26.4	26.4
	2	80	23.8	30.2	56.6
	3	35	10.4	13.2	69.8
	4	26	7.7	9.8	79.6
	5	22	6.5	8.3	87.9
	6	15	4.5	5.7	93.6
	7	5	1.5	1.9	95.5
	8	4	1.2	1.5	97.0
	9	1	.3	.4	97.4
	10	5	1.5	1.9	99.2
	13	1	.3	.4	99.6
	15 or more drinks	1	.3	.4	100.0
	Total	265	78.9	100.0	
Missing	System	71	21.1		
Total		336	100.0		

In the past year, how often did you drink alcohol: Residence hall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	257	76.5	93.1	93.1
	Rarely	11	3.3	4.0	97.1
	Sometimes	7	2.1	2.5	99.6
	Often	1	.3	.4	100.0
	Total	276	82.1	100.0	
Missing	System	60	17.9		
Total		336	100.0		

In the past year, how often did you drink alcohol: Fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	260	77.4	94.2	94.2
	Rarely	8	2.4	2.9	97.1
	Sometimes	4	1.2	1.4	98.6
	Often	3	.9	1.1	99.6
	Always	1	.3	.4	100.0
	Total	276	82.1	100.0	
Missing	System	60	17.9		
Total		336	100.0		

In the past year, how often did you drink alcohol: Other on-campus location

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	239	71.1	87.9	87.9
	Rarely	13	3.9	4.8	92.6
	Sometimes	12	3.6	4.4	97.1
	Often	5	1.5	1.8	98.9
	Always	3	.9	1.1	100.0
	Total	272	81.0	100.0	
Missing	System	64	19.0		
Total		336	100.0		

In the past year, how often did you drink alcohol: Off-campus house or apartment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	36	10.7	13.0	13.0
	Rarely	61	18.2	22.0	35.0
	Sometimes	92	27.4	33.2	68.2
	Often	59	17.6	21.3	89.5
	Always	29	8.6	10.5	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

In the past year, how often did you drink alcohol: Bar/restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	93	27.7	33.6	33.6
	Rarely	49	14.6	17.7	51.3
	Sometimes	69	20.5	24.9	76.2
	Often	53	15.8	19.1	95.3
	Always	13	3.9	4.7	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

In the past year, how often did you drink alcohol: Sporting/athletic event

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	205	61.0	74.5	74.5
	Rarely	33	9.8	12.0	86.5
	Sometimes	24	7.1	8.7	95.3
	Often	11	3.3	4.0	99.3
	Always	2	.6	.7	100.0
	Total	275	81.8	100.0	
Missing	System	61	18.2		
Total		336	100.0		

In the past year, how often did you drink alcohol: In a car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	255	75.9	92.7	92.7
	Rarely	11	3.3	4.0	96.7
	Sometimes	5	1.5	1.8	98.5
	Often	3	.9	1.1	99.6
	Always	1	.3	.4	100.0
	Total	275	81.8	100.0	
Missing	System	61	18.2		
Total		336	100.0		

In the past year, how often did you drink alcohol: Other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	221	65.8	86.3	86.3
	Rarely	17	5.1	6.6	93.0
	Sometimes	11	3.3	4.3	97.3
	Often	5	1.5	2.0	99.2
	Always	2	.6	.8	100.0
	Total	256	76.2	100.0	
Missing	System	80	23.8		
Total		336	100.0		

Reasons for drinking in the past year: To experiment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	55	16.4	19.9	19.9
	No	219	65.2	79.1	98.9
	Unsure	3	.9	1.1	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Reasons for drinking in the past year: Because I am hooked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	.9	1.1	1.1
	No	269	80.1	97.8	98.9
	Unsure	3	.9	1.1	100.0
	Total	275	81.8	100.0	
Missing	System	61	18.2		
Total		336	100.0		

Reasons for drinking in the past year: To relax or relieve tension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	168	50.0	61.3	61.3
	No	103	30.7	37.6	98.9
	Unsure	3	.9	1.1	100.0
	Total	274	81.5	100.0	
Missing	System	62	18.5		
Total		336	100.0		

Reasons for drinking in the past year: To have a good time with friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	239	71.1	86.3	86.3
	No	37	11.0	13.4	99.6
	Unsure	1	.3	.4	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Reasons for drinking in the past year: Because of boredom

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	42	12.5	15.2	15.2
	No	232	69.0	83.8	98.9
	Unsure	3	.9	1.1	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Reasons for drinking in the past year: Because of anger or frustration

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	31	9.2	11.2	11.2
	No	243	72.3	87.7	98.9
	Unsure	3	.9	1.1	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Reasons for drinking in the past year: To get through the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	2.1	2.5	2.5
	No	268	79.8	97.1	99.6
	Unsure	1	.3	.4	100.0
	Total	276	82.1	100.0	
Missing	System	60	17.9		
Total		336	100.0		

Reasons for drinking in the past year: To get away from my problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	35	10.4	12.7	12.7
	No	233	69.3	84.4	97.1
	Unsure	8	2.4	2.9	100.0
	Total	276	82.1	100.0	
Missing	System	60	17.9		
Total		336	100.0		

Consequences of alcohol use in the past year: Friends or family members worried or complained about your drinking

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	253	75.3	91.0	91.0
	Once	12	3.6	4.3	95.3
	Twice	10	3.0	3.6	98.9
	3-5 times	3	.9	1.1	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Had a hangover

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	125	37.2	45.1	45.1
	Once	52	15.5	18.8	63.9
	Twice	31	9.2	11.2	75.1
	3-5 times	36	10.7	13.0	88.1
	6-9 times	15	4.5	5.4	93.5
	10+ times	18	5.4	6.5	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Consequences of alcohol use in the past year: Felt bad/guilty about your drinking

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	209	62.2	76.3	76.3
	Once	31	9.2	11.3	87.6
	Twice	18	5.4	6.6	94.2
	3-5 times	13	3.9	4.7	98.9
	6-9 times	2	.6	.7	99.6
	10+ times	1	.3	.4	100.0
	Total	274	81.5	100.0	
Missing	System	62	18.5		
Total		336	100.0		

Consequences of alcohol use in the past year: Created problems between you and your friends or family members

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	255	75.9	91.7	91.7
	Once	14	4.2	5.0	96.8
	Twice	4	1.2	1.4	98.2
	3-5 times	3	.9	1.1	99.3
	6-9 times	2	.6	.7	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Gotten into trouble at work or school because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	273	81.3	98.2	98.2
	Once	4	1.2	1.4	99.6
	Twice	1	.3	.4	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Been hurt or injured because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	254	75.6	91.4	91.4
	Once	17	5.1	6.1	97.5
	Twice	4	1.2	1.4	98.9
	3-5 times	3	.9	1.1	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Been ticketed or arrested because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	277	82.4	99.6	99.6
	Once	1	.3	.4	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Been arrested for drunk driving

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	277	82.4	99.6	99.6
	Once	1	.3	.4	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Driven a car while under the influence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	249	74.1	89.6	89.6
	Once	13	3.9	4.7	94.2
	Twice	4	1.2	1.4	95.7
	3-5 times	6	1.8	2.2	97.8
	6-9 times	4	1.2	1.4	99.3
	10+ times	2	.6	.7	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Gotten into physical fights when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	267	79.5	96.0	96.0
	Once	9	2.7	3.2	99.3
	Twice	2	.6	.7	100.0
	Total	278	82.7	100.0	
Missing	System	58	17.3		
Total		336	100.0		

Consequences of alcohol use in the past year: Engaged in unprotected sex

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	230	68.5	83.0	83.0
	Once	12	3.6	4.3	87.4
	Twice	8	2.4	2.9	90.3
	3-5 times	12	3.6	4.3	94.6
	6-9 times	3	.9	1.1	95.7
	10+ times	12	3.6	4.3	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Consequences of alcohol use in the past year: Missed class or assignments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	255	75.9	92.4	92.4
	Once	11	3.3	4.0	96.4
	Twice	8	2.4	2.9	99.3
	3-5 times	1	.3	.4	99.6
	10+ times	1	.3	.4	100.0
	Total	276	82.1	100.0	
Missing	System	60	17.9		
Total		336	100.0		

Consequences of alcohol use in the past year: Blacked out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	225	67.0	81.5	81.5
	Once	21	6.3	7.6	89.1
	Twice	13	3.9	4.7	93.8
	3-5 times	10	3.0	3.6	97.5
	6-9 times	2	.6	.7	98.2
	10+ times	5	1.5	1.8	100.0
	Total	276	82.1	100.0	
Missing	System	60	17.9		
Total		336	100.0		

Consequences of alcohol use in the past year: Did something I later regretted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	221	65.8	79.8	79.8
	Once	32	9.5	11.6	91.3
	Twice	8	2.4	2.9	94.2
	3-5 times	6	1.8	2.2	96.4
	6-9 times	6	1.8	2.2	98.6
	10+ times	4	1.2	1.4	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Consequences of alcohol use in the past year: Been in trouble with police, etc

1		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	272	81.0	98.2	98.2
	Once	5	1.5	1.8	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Consequences of alcohol use in the past year: Experienced unwanted sexual activity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	270	80.4	97.5	97.5
	Once	6	1.8	2.2	99.6
	3-5 times	1	.3	.4	100.0
	Total	277	82.4	100.0	
Missing	System	59	17.6		
Total		336	100.0		

Consequences of alcohol use in the past year: Took advantage of someone sexually

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	275	81.8	100.0	100.0
Missing	System	61	18.2		
Total		336	100.0		

How often did you drink beer in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	95	28.3	34.7	34.7
	Rarely	54	16.1	19.7	54.4
	Sometimes	50	14.9	18.2	72.6
	Often	61	18.2	22.3	94.9
	Always	14	4.2	5.1	100.0
	Total	274	81.5	100.0	
Missing	System	62	18.5		
Total		336	100.0		

How often did you drink malt beverages in the past year?

<u>'</u>		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	133	39.6	49.3	49.3
	Rarely	58	17.3	21.5	70.7
	Sometimes	47	14.0	17.4	88.1
	Often	27	8.0	10.0	98.1
	Always	5	1.5	1.9	100.0
	Total	270	80.4	100.0	
Missing	System	66	19.6		
Total		336	100.0		

How often did you drink wine in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	59	17.6	21.5	21.5
	Rarely	72	21.4	26.3	47.8
	Sometimes	77	22.9	28.1	75.9
	Often	58	17.3	21.2	97.1
	Always	8	2.4	2.9	100.0
	Total	274	81.5	100.0	
Missing	System	62	18.5		
Total		336	100.0		

How often did you drink liquor in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	49	14.6	18.0	18.0
	Rarely	65	19.3	23.9	41.9
	Sometimes	88	26.2	32.4	74.3
	Often	49	14.6	18.0	92.3
	Always	21	6.3	7.7	100.0
	Total	272	81.0	100.0	
Missing	System	64	19.0		
Total		336	100.0		

How often did you drink high alcohol drinks in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	210	62.5	77.5	77.5
	Rarely	45	13.4	16.6	94.1
	Sometimes	13	3.9	4.8	98.9
	Often	3	.9	1.1	100.0
	Total	271	80.7	100.0	
Missing	System	65	19.3		
Total		336	100.0		

How often did you drink some other type of alcohol in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	201	59.8	77.6	77.6
	Rarely	41	12.2	15.8	93.4
	Sometimes	17	5.1	6.6	100.0
	Total	259	77.1	100.0	
Missing	System	77	22.9		
Total		336	100.0		

How often do you drink micro-brewed beer?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	62	18.5	34.8	34.8
	Rarely	41	12.2	23.0	57.9
	Sometimes	44	13.1	24.7	82.6
	Often	26	7.7	14.6	97.2
	Always	5	1.5	2.8	100.0
	Total	178	53.0	100.0	
Missing	System	158	47.0		
Total		336	100.0		

How often do you drink micro-distilled liquor?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	121	36.0	54.5	54.5
	Rarely	52	15.5	23.4	77.9
	Sometimes	43	12.8	19.4	97.3
	Often	4	1.2	1.8	99.1
	Always	2	.6	.9	100.0
	Total	222	66.1	100.0	
Missing	System	114	33.9		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol from friends over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	16	4.8	21.1	21.1
	Rarely	14	4.2	18.4	39.5
	Sometimes	10	3.0	13.2	52.6
	Often	20	6.0	26.3	78.9
	Always	16	4.8	21.1	100.0
	Total	76	22.6	100.0	
Missing	System	260	77.4		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol from siblings over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	60	17.9	80.0	80.0
	Rarely	5	1.5	6.7	86.7
	Sometimes	6	1.8	8.0	94.7
	Often	3	.9	4.0	98.7
	Always	1	.3	1.3	100.0
	Total	75	22.3	100.0	
Missing	System	261	77.7		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol from other adults over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	47	14.0	61.8	61.8
	Rarely	15	4.5	19.7	81.6
	Sometimes	5	1.5	6.6	88.2
	Often	7	2.1	9.2	97.4
	Always	2	.6	2.6	100.0
	Total	76	22.6	100.0	
Missing	System	260	77.4		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol at oncampus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	70	20.8	90.9	90.9
	Rarely	6	1.8	7.8	98.7
	Sometimes	1	.3	1.3	100.0
	Total	77	22.9	100.0	
Missing	System	259	77.1		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol at fraternity or sorority houses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	69	20.5	90.8	90.8
	Rarely	6	1.8	7.9	98.7
	Often	1	.3	1.3	100.0
	Total	76	22.6	100.0	
Missing	System	260	77.4		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol at offcampus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	43	12.8	56.6	56.6
	Rarely	13	3.9	17.1	73.7
	Sometimes	9	2.7	11.8	85.5
	Often	7	2.1	9.2	94.7
	Always	4	1.2	5.3	100.0
	Total	76	22.6	100.0	
Missing	System	260	77.4		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol from someone under 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	45	13.4	59.2	59.2
	Rarely	12	3.6	15.8	75.0
	Sometimes	12	3.6	15.8	90.8
	Often	5	1.5	6.6	97.4
	Always	2	.6	2.6	100.0
	Total	76	22.6	100.0	
Missing	System	260	77.4		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol from parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	45	13.4	59.2	59.2
	Rarely	20	6.0	26.3	85.5
	Sometimes	6	1.8	7.9	93.4
	Often	4	1.2	5.3	98.7
	Always	1	.3	1.3	100.0
	Total	76	22.6	100.0	
Missing	System	260	77.4		
Total		336	100.0		

Students under 21: In the past year, how often have you obtained alcohol some other way

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	56	16.7	76.7	76.7
	Rarely	9	2.7	12.3	89.0
	Sometimes	1	.3	1.4	90.4
	Often	5	1.5	6.8	97.3
	Always	2	.6	2.7	100.0
	Total	73	21.7	100.0	
Missing	System	263	78.3		
Total		336	100.0		

Students under 21: Purchased alcohol from retailer in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	2.1	9.0	9.0
	No	71	21.1	91.0	100.0
	Total	78	23.2	100.0	
Missing	System	258	76.8		
Total		336	100.0		

Students under 21: Used fake ID in the past year

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Yes	3	.9	50.0	50.0
	No	3	.9	50.0	100.0
	Total	6	1.8	100.0	
Missing	System	330	98.2		
Total		336	100.0		

Students under 21: Used someone elses ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.3	16.7	16.7
	No	5	1.5	83.3	100.0
	Total	6	1.8	100.0	
Missing	System	330	98.2		
Total		336	100.0		

Students under 21: Bought without using ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	1.5	71.4	71.4
	No	2	.6	28.6	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at bar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1	.3	14.3	14.3
	1-2 times per year	4	1.2	57.1	71.4
	3-5 times	1	.3	14.3	85.7
	11 or more times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at restaurant

,					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	3	.9	42.9	42.9
	1-2 times per year	2	.6	28.6	71.4
	3-5 times	1	.3	14.3	85.7
	6-10 times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at grocery store

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	4	1.2	57.1	57.1
	1-2 times per year	1	.3	14.3	71.4
	3-5 times	1	.3	14.3	85.7
	6-10 times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at discount store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	1.5	71.4	71.4
	3-5 times	1	.3	14.3	85.7
	6-10 times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at convenience store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	1.5	71.4	71.4
	1-2 times per year	1	.3	14.3	85.7
	11 or more times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at drug store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	1.5	71.4	71.4
	1-2 times per year	1	.3	14.3	85.7
	3-5 times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at liquor store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2	.6	28.6	28.6
	1-2 times per year	3	.9	42.9	71.4
	6-10 times	1	.3	14.3	85.7
	11 or more times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at winery or micro-brewery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6	1.8	85.7	85.7
	6-10 times	1	.3	14.3	100.0
	Total	7	2.1	100.0	
Missing	System	329	97.9		
Total		336	100.0		

Students under 21: Purchased alcohol at other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	7	2.1	100.0	100.0
Missing	System	329	97.9		
Total		336	100.0		

Any age: Purchased alcohol online or via phone/mail

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Yes	79	23.5	100.0	100.0
Missing	System	257	76.5		
Total		336	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus housing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	26	7.7	24.1	24.1
	Somewhat Likely	38	11.3	35.2	59.3
	Somewhat Unlikely	9	2.7	8.3	67.6
	Very Unlikely	15	4.5	13.9	81.5
	Don't Know	20	6.0	18.5	100.0
	Total	108	32.1	100.0	
Missing	System	228	67.9		
Total		336	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus housing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	7	2.1	6.5	6.5
	Somewhat Likely	25	7.4	23.4	29.9
	Somewhat Unlikely	24	7.1	22.4	52.3
	Very Unlikely	33	9.8	30.8	83.2
	Don't Know	18	5.4	16.8	100.0
	Total	107	31.8	100.0	
Missing	System	229	68.2		
Total		336	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	38	11.3	35.2	35.2
	Somewhat Likely	35	10.4	32.4	67.6
	Somewhat Unlikely	11	3.3	10.2	77.8
	Very Unlikely	5	1.5	4.6	82.4
	Don't Know	19	5.7	17.6	100.0
	Total	108	32.1	100.0	
Missing	System	228	67.9		
Total		336	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus party

<u> </u>		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	9	2.7	8.3	8.3
	Somewhat Likely	32	9.5	29.6	38.0
	Somewhat Unlikely	32	9.5	29.6	67.6
	Very Unlikely	16	4.8	14.8	82.4
	Don't Know	19	5.7	17.6	100.0
	Total	108	32.1	100.0	
Missing	System	228	67.9		
Total		336	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at athletic event

		_	_		Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Very Likely	35	10.4	32.4	32.4
	Somewhat Likely	28	8.3	25.9	58.3
	Somewhat Unlikely	11	3.3	10.2	68.5
	Very Unlikely	10	3.0	9.3	77.8
	Don't Know	24	7.1	22.2	100.0
	Total	108	32.1	100.0	
Missing	System	228	67.9		
Total		336	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at other places

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	22	6.5	20.4	20.4
	Somewhat Likely	34	10.1	31.5	51.9
	Somewhat Unlikely	17	5.1	15.7	67.6
	Very Unlikely	13	3.9	12.0	79.6
	Don't Know	22	6.5	20.4	100.0
	Total	108	32.1	100.0	
Missing	System	228	67.9		
Total		336	100.0		

Perceived number of alcoholic drinks consumed by the typical student at the last party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	10	3.0	3.1	3.1
	1	14	4.2	4.4	7.5
	2	39	11.6	12.2	19.7
	3	67	19.9	20.9	40.6
	4	80	23.8	25.0	65.6
	5	66	19.6	20.6	86.3
	6	19	5.7	5.9	92.2
	7	7	2.1	2.2	94.4
	8	7	2.1	2.2	96.6
	10	5	1.5	1.6	98.1
	15 or more drinks	6	1.8	1.9	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Perceived percent of students at your school who used alcohol in past month

,					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	0%	5	1.5	1.6	1.6
	5%	4	1.2	1.2	2.8
	10%	11	3.3	3.4	6.2
	15%	6	1.8	1.9	8.1
	20%	10	3.0	3.1	11.2
	25%	11	3.3	3.4	14.6
	30%	17	5.1	5.3	19.9
	35%	7	2.1	2.2	22.0
	40%	19	5.7	5.9	28.0
	45%	15	4.5	4.7	32.6
	50%	32	9.5	9.9	42.5
	55%	9	2.7	2.8	45.3
	60%	32	9.5	9.9	55.3
	65%	23	6.8	7.1	62.4
	70%	32	9.5	9.9	72.4
	75%	32	9.5	9.9	82.3
	80%	28	8.3	8.7	91.0

Perceived percent of students at your school who used alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
	85%	12	3.6	3.7	94.7
	90%	10	3.0	3.1	97.8
	95%	6	1.8	1.9	99.7
	100%	1	.3	.3	100.0
	Total	322	95.8	100.0	
Missing	System	14	4.2		
Total		336	100.0		

Had your belongings or property damaged in the past year because of other students drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	296	88.1	91.6	91.6
	Once	16	4.8	5.0	96.6
	2-3 times	9	2.7	2.8	99.4
	4 or more times	2	.6	.6	100.0
	Total	323	96.1	100.0	
Missing	System	13	3.9		
Total		336	100.0		

Had to take care of another student who drank too much in the past year

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	213	63.4	65.9	65.9
	Once	46	13.7	14.2	80.2
	2-3 times	52	15.5	16.1	96.3
	4 or more times	12	3.6	3.7	100.0
	Total	323	96.1	100.0	
Missing	System	13	3.9		
Total		336	100.0		

Found vomit in the halls or other areas of your residence in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	293	87.2	90.7	90.7
	Once	14	4.2	4.3	95.0
	2-3 times	11	3.3	3.4	98.5
	4 or more times	5	1.5	1.5	100.0
	Total	323	96.1	100.0	
Missing	System	13	3.9		
Total		336	100.0		

Had your studying or sleep interrupted because of other students drinking in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	263	78.3	81.4	81.4
	Once	27	8.0	8.4	89.8
	2-3 times	21	6.3	6.5	96.3
	4 or more times	12	3.6	3.7	100.0
	Total	323	96.1	100.0	
Missing	System	13	3.9		
Total		336	100.0		

Had to act as a designated driver for another student in the past year

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Not at all	234	69.6	72.4	72.4
	Once	43	12.8	13.3	85.8
	2-3 times	37	11.0	11.5	97.2
	4 or more times	9	2.7	2.8	100.0
	Total	323	96.1	100.0	
Missing	System	13	3.9		
Total		336	100.0		

How do you think your close friends feel about you having five or more alcoholic drinks in one sitting?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	68	20.2	21.0	21.0
	Somewhat disapprove	65	19.3	20.1	41.0
	Neither approve or disapprove	122	36.3	37.7	78.7
	Somewhat approve	40	11.9	12.3	91.0
	Strongly approve	29	8.6	9.0	100.0
	Total	324	96.4	100.0	
Missing	System	12	3.6		
Total		336	100.0		

How do you think your close friends feel about you using prescription medication not prescribed to you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	186	55.4	57.4	57.4
	Somewhat disapprove	76	22.6	23.5	80.9
	Neither approve or disapprove	45	13.4	13.9	94.8
	Somewhat approve	13	3.9	4.0	98.8
	Strongly approve	4	1.2	1.2	100.0
	Total	324	96.4	100.0	
Missing	System	12	3.6		
Total		336	100.0		

How do you think your close friends feel about you using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	74	22.0	22.9	22.9
	Somewhat disapprove	51	15.2	15.8	38.7
	Neither approve or disapprove	113	33.6	35.0	73.7
	Somewhat approve	43	12.8	13.3	87.0
	Strongly approve	42	12.5	13.0	100.0
	Total	323	96.1	100.0	
Missing	System	13	3.9		
Total		336	100.0		

Number of days in past month that mental health was not good

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	56	16.7	17.4	17.4
	1	26	7.7	8.1	25.5
	2	28	8.3	8.7	34.3
	3	28	8.3	8.7	43.0
	4	16	4.8	5.0	48.0
	5	37	11.0	11.5	59.5
	6	5	1.5	1.6	61.1
	7	12	3.6	3.7	64.8
	8	3	.9	.9	65.7
	9	3	.9	.9	66.7
	10	31	9.2	9.7	76.3
	12	3	.9	.9	77.3
	14	3	.9	.9	78.2
	15	16	4.8	5.0	83.2
	16	2	.6	.6	83.8
	19	1	.3	.3	84.1
	20	18	5.4	5.6	89.7
	22	2	.6	.6	90.3
	23	1	.3	.3	90.7
	24	1	.3	.3	91.0
	25	5	1.5	1.6	92.5
	26	1	.3	.3	92.8
	28	1	.3	.3	93.1
	30	16	4.8	5.0	98.1
	Don't know, not sure	6	1.8	1.9	100.0
	Total	321	95.5	100.0	
Missing	System	15	4.5		
Total		336	100.0		

Felt sad or hopeless in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	83	24.7	26.0	26.0
	No	236	70.2	74.0	100.0
	Total	319	94.9	100.0	
Missing	System	17	5.1		
Total		336	100.0		

Seriously considered attempting suicide in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	32	9.5	10.1	10.1
	No	286	85.1	89.9	100.0
	Total	318	94.6	100.0	
Missing	System	18	5.4		
Total		336	100.0		

Identify as sober and in recovery from alcohol or drug addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	13	3.9	4.1	4.1
	No	305	90.8	95.9	100.0
	Total	318	94.6	100.0	
Missing	System	18	5.4		
Total		336	100.0		

Gambling in past year: Pools (e.g., March Madness)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	296	88.1	92.5	92.5
	Less than once a month	20	6.0	6.3	98.8
	1-3 times per month	3	.9	.9	99.7
	Once a week or more	1	.3	.3	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Gambling in past year: Fantasy sports

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	302	89.9	94.7	94.7
	Less than once a month	12	3.6	3.8	98.4
	1-3 times per month	4	1.2	1.3	99.7
	Once a week or more	1	.3	.3	100.0
	Total	319	94.9	100.0	
Missing	System	17	5.1		
Total		336	100.0		

Gambling in past year: Video game loot boxes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	296	88.1	93.1	93.1
	Less than once a month	16	4.8	5.0	98.1
	1-3 times per month	2	.6	.6	98.7
	Once a week or more	4	1.2	1.3	100.0
	Total	318	94.6	100.0	
Missing	System	18	5.4		
Total		336	100.0		

Gambling in past year: Other sports betting

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	305	90.8	95.6	95.6
	Less than once a month	11	3.3	3.4	99.1
	1-3 times per month	2	.6	.6	99.7
	Once a week or more	1	.3	.3	100.0
	Total	319	94.9	100.0	
Missing	System	17	5.1		
Total		336	100.0		

Gambling in past year: Gambled on-line

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	312	92.9	97.5	97.5
	Less than once a month	5	1.5	1.6	99.1
	1-3 times per month	2	.6	.6	99.7
	Once a week or more	1	.3	.3	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Gambling in past year: Competetive video gaming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	312	92.9	98.1	98.1
	Less than once a month	4	1.2	1.3	99.4
	1-3 times per month	1	.3	.3	99.7
	Once a week or more	1	.3	.3	100.0
	Total	318	94.6	100.0	
Missing	System	18	5.4		
Total		336	100.0		

Gambling in past year: Horse tracks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	307	91.4	96.2	96.2
	Less than once a month	10	3.0	3.1	99.4
	1-3 times per month	1	.3	.3	99.7
	Once a week or more	1	.3	.3	100.0
	Total	319	94.9	100.0	
Missing	System	17	5.1		
Total		336	100.0		

Gambling in past year: Card games (not at casino)

		Eroguenov	Percent	Valid Percent	Cumulative Percent
		Frequency	Percent	valiu Percent	Percent
Valid	Never	297	88.4	93.1	93.1
	Less than once a month	16	4.8	5.0	98.1
	1-3 times per month	4	1.2	1.3	99.4
	Once a week or more	2	.6	.6	100.0
	Total	319	94.9	100.0	
Missing	System	17	5.1		
Total		336	100.0		

Gambling in past year: Lottery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	242	72.0	75.6	75.6
	Less than once a month	70	20.8	21.9	97.5
	1-3 times per month	5	1.5	1.6	99.1
	Once a week or more	3	.9	.9	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Gambling in past year: Gambled at a casino

					Cumulative
		Frequency	Percent	Valid Percent	Percent
Valid	Never	288	85.7	90.0	90.0
	Less than once a month	29	8.6	9.1	99.1
	1-3 times per month	2	.6	.6	99.7
	Once a week or more	1	.3	.3	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Gambling in past year: Charitable gambling (e.g., bingo)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	286	85.1	89.4	89.4
	Less than once a month	32	9.5	10.0	99.4
	1-3 times per month	1	.3	.3	99.7
	Once a week or more	1	.3	.3	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Gambling in past year: Other ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	290	86.3	95.4	95.4
	Less than once a month	10	3.0	3.3	98.7
	1-3 times per month	2	.6	.7	99.3
	Once a week or more	2	.6	.7	100.0
	Total	304	90.5	100.0	
Missing	System	32	9.5		
Total		336	100.0		

Most common reason for gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not gamble	219	65.2	68.4	68.4
	Source of entertainment	66	19.6	20.6	89.1
	Source of excitement or challenge	9	2.7	2.8	91.9
	Way to socialize	16	4.8	5.0	96.9
	Way to get rich	2	.6	.6	97.5
	Source of money for paying bills	1	.3	.3	97.8
	Source of money to support charities	4	1.2	1.3	99.1
	Hobby	1	.3	.3	99.4
	Escape or distraction from everyday problems	2	.6	.6	100.0
	Total	320	95.2	100.0	
Missing	System	16	4.8		
Total		336	100.0		

Consequences of gambling: Not sleeping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	300	89.3	98.4	98.4
	Occasionally	2	.6	.7	99.0
	Frequently	3	.9	1.0	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: Poor hygiene

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	302	89.9	99.0	99.0
	Occasionally	1	.3	.3	99.3
	Frequently	2	.6	.7	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: Loss of friendships

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	302	89.9	99.0	99.0
	Occasionally	1	.3	.3	99.3
	Frequently	2	.6	.7	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: Family/parent issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	301	89.6	98.7	98.7
	Occasionally	2	.6	.7	99.3
	Frequently	2	.6	.7	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: School problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	302	89.9	99.0	99.0
	Occasionally	1	.3	.3	99.3
	Frequently	2	.6	.7	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: Money issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	298	88.7	97.7	97.7
	Occasionally	4	1.2	1.3	99.0
	Frequently	3	.9	1.0	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: Felt bad about gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	292	86.9	95.7	95.7
	Occasionally	11	3.3	3.6	99.3
	Frequently	2	.6	.7	100.0
	Total	305	90.8	100.0	
Missing	System	31	9.2		
Total		336	100.0		

Consequences of gambling: Depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	301	89.6	99.0	99.0
	Occasionally	1	.3	.3	99.3
	Frequently	2	.6	.7	100.0
	Total	304	90.5	100.0	
Missing	System	32	9.5		
Total		336	100.0		

Over your next 10 opportunities to drink, on how many occasions do you intend/plan to drink 5 or more alcoholic beverages?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	183	54.5	58.1	58.1
	1	37	11.0	11.7	69.8
	2	24	7.1	7.6	77.5
	3	19	5.7	6.0	83.5
	4	10	3.0	3.2	86.7
	5	18	5.4	5.7	92.4
	6	5	1.5	1.6	94.0
	7	7	2.1	2.2	96.2
	8	5	1.5	1.6	97.8
	9	2	.6	.6	98.4
	10	5	1.5	1.6	100.0
	Total	315	93.8	100.0	
Missing	System	21	6.3		
Total		336	100.0		

Do you identify as a person in recoevery from addiction to drugs or alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	1.5	1.6	1.6
	No	301	89.6	95.6	97.1
	I'm not sure	9	2.7	2.9	100.0
	Total	315	93.8	100.0	
Missing	System	21	6.3		
Total		336	100.0		

In the past 12 months, how often have you texted, snapchat, tweeted, phoned, or DM (direct messaged) unwanted sexual remarks, jokes, pictures or videos to someone without their consent?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	301	89.6	95.6	95.6
	Once	4	1.2	1.3	96.8
	Twice	4	1.2	1.3	98.1
	3-5 times	4	1.2	1.3	99.4
	10+ times	2	.6	.6	100.0
	Total	315	93.8	100.0	
Missing	System	21	6.3		
Total		336	100.0		

In the past 12 months, how often has someone sent you unwanted texts, DMs, and phone calls or posted messages, pictures or videos on social media without your consent and/or in a way that made you afraid for your personal safety?

,		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	243	72.3	77.6	77.6
	Once	28	8.3	8.9	86.6
	Twice	14	4.2	4.5	91.1
	3-5 times	21	6.3	6.7	97.8
	6-9 times	2	.6	.6	98.4
	10+ times	5	1.5	1.6	100.0
	Total	313	93.2	100.0	
Missing	System	23	6.8		
Total		336	100.0		

In the past 12 months, how often have you pressured someone into engaging in sexual activity with you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	300	89.3	95.8	95.8
	Once	5	1.5	1.6	97.4
	Twice	4	1.2	1.3	98.7
	3-5 times	2	.6	.6	99.4
	6-9 times	1	.3	.3	99.7
	10+ times	1	.3	.3	100.0
	Total	313	93.2	100.0	
Missing	System	23	6.8		
Total		336	100.0		

In the past 12 months, how often have you intervened in a social situation, directly or indirectly, where you felt a person was at risk of committing a sexual assault or at risk of being a victim of sexual assault?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I have not been in a social situation where I felt a person was at risk of committing or experiencing sexual assault	278	82.7	88.5	88.5
	Never, and I never thought about intervening	7	2.1	2.2	90.8
	Never, but I thought about intervening	3	.9	1.0	91.7
	Once	22	6.5	7.0	98.7
	Twice	1	.3	.3	99.0
	Three or more times	3	.9	1.0	100.0
	Total	314	93.5	100.0	
Missing	System	22	6.5		
Total		336	100.0		

In the past 12 months, have you engaged in the following to support your mental or emotional health?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Medication management on campus	4	1.2	1.3	1.3
	Medication management off campus	22	6.5	7.0	8.3
	Talk therapy (individual or group) on campus	9	2.7	2.9	11.1
	Talk therapy (individual or group) off campus	21	6.3	6.7	17.8
	Both medication and talk therapy - at least one on campus	8	2.4	2.5	20.4
	Both medication and talk therapy - all off campus	24	7.1	7.6	28.0
	Other	10	3.0	3.2	31.2
	None of these	216	64.3	68.8	100.0
	Total	314	93.5	100.0	
Missing	System	22	6.5		
Total		336	100.0		

What health insurance do you have?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Aetna	27	8.0	8.6	8.6
	Anthem/Blue Cross/Blue Shield	152	45.2	48.4	57.0
	Cigna	7	2.1	2.2	59.2
	Humana	3	.9	1.0	60.2
	Sagamore	1	.3	.3	60.5
	United Healthcare	25	7.4	8.0	68.5
	Other	80	23.8	25.5	93.9
	I don ot have health insurance	19	5.7	6.1	100.0
	Total	314	93.5	100.0	
Missing	System	22	6.5		
Total		336	100.0		

Do you feel as though you have a good understanding of health insurance/health care costs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	164	48.8	52.6	52.6
	No	148	44.0	47.4	100.0
	Total	312	92.9	100.0	
Missing	System	24	7.1		
Total		336	100.0		

If you have a family doctor (someone you regularly go to when you get sick but not a pediatrician) or primary care provider (PCP), where is s/he located?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Indianapolis/Marion County	95	28.3	30.4	30.4
	Surrounding counties (Hamilton, Madison, Hancock, Shelby, Johnson, Morgan, Hendricks, Boone)	75	22.3	24.0	54.3
	Other county in Indiana	54	16.1	17.3	71.6
	Other state	21	6.3	6.7	78.3
	Other country	5	1.5	1.6	79.9
	I do not have a family doctor or PCP	63	18.8	20.1	100.0
	Total	313	93.2	100.0	
Missing	System	23	6.8		
Total		336	100.0		

age21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 21	113	33.6	33.6	33.6
	21 or older	223	66.4	66.4	100.0
	Total	336	100.0	100.0	

Number of times student binge drank during the last two weeks - out of all students

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	235	69.9	71.6	71.6
	1	50	14.9	15.2	86.9
	2	19	5.7	5.8	92.7
	3	16	4.8	4.9	97.6
	4	6	1.8	1.8	99.4
	6	1	.3	.3	99.7
	10 or more times	1	.3	.3	100.0
	Total	328	97.6	100.0	
Missing	System	8	2.4		
Total		336	100.0		